

EXHIBIT A

OPHTHALMIC SURGEONS LTD.

Atwood Medical Center
1524 Atwood Ave., Suite #240
Johnston, RI 02919

Telephone: 401 272-2110
Fax: 401 273-6236

Joshua Mello

[REDACTED]
Cranston, RI 02920

February 14, 2025

To whom it may concern,

The above patient was seen in our office July 8, 2022. Josh's chief complaint at that time was he had [REDACTED] blurry vision. The Optometry exam was within normal limits and had no ocular defects on that day.

Post the exam the patient had a Vaso Vagel Reaction in the public office bathroom. Josh was transported by ambulance to the hospital for follow up.

For any other questions please feel free to contact my office.

Sincerely,

Charles Newell OD



Visit Note - July 8, 2022

PMS ID: Sex: DOB: Phone: MRN:
103109PAT000001790 Male [REDACTED] 1975 (401) 426-0778 [REDACTED]

Medications

OPHTHALMIC MEDICATIONS

neomycin-polymyxin B-dexameth 3.5 mg/g-10,000unit/g-0.1 % ointment OD

NON OPHTHALMIC MEDICATIONS

NONE

Ocular History

Reviewed February 2, 2022.

Social History

Reviewed February 2, 2022.

Smoking status - Unspecified

Allergies

Medical History

Reviewed February 2, 2022.

Chief Complaint: ER ADD

HPI: This is a 47 year old male who is being seen for a chief complaint of ER ADD. PT HERE FOR

PT [REDACTED] VISION HAS BEEN OFF SO HE WANTS TO GET CHECKED

PT STATES IT HAPPENED A COUPLE WEEKS AGO

NO OTHER QUESTIONS OR CONCERNS

Eye Exam

Vision

Distance Test Type: Snellen Chart

Near Test Type: Snellen

DSC OD 20/25

Nsc OU J5

OS 20/25 -1

Auto Refraction

Auto Refraction Type: Non-Dilated AR; Binocular PD: 62.0 (Dist) 58.0 (Near)

Eye Measurement

DCC

NCC

OD -0.25 -0.50 x 100

OS -0.50

Exam:

An examination was performed

OD External: **dermatochalasis 2+ RUL EDEMA**

OD Lid Margin: quiet and normal

Slit lamp examination OD:

OD Conjunctiva: white and quiet

OD Cornea: **Reduced tear meniscus and Abnormal tear break-up time**

OD Anterior Chamber: deep and quiet anterior chamber

OD Iris: normal iris without rubeosis

OD Lens: clear lens

A dilated exam of the optic disc was performed OD.

Ophthalmoscopic examination of optic disc OD:

OD: **CD ratio 0.3**

OD Optic Disc: flat and normal disc

A dilated fundus exam was performed OD.

Ophthalmoscopic examination of retina and vessels OD:

OD Vitreous: vitreous clear without hemorrhage, cells or pigment

OD Vessels: vessels with normal contour, caliber without neovascularization

OD Macula: macula normal contour without heme, edema, drusen or exudate

OD Periphery: periphery normal appearance without retinal tears, breaks, holes or mass

General Appearance of the patient is well nourished.

Orientation: alert and oriented x 3.

OS External: **dermatochalasis**

OS Lid Margin: quiet and normal

Slit lamp examination OS:

OS Conjunctiva: white and quiet

OS Cornea: **Abnormal tear break-up time and Reduced tear meniscus**

OS Anterior Chamber: deep and quiet anterior chamber

OS Iris: normal iris without rubeosis

OS Lens: clear lens

A dilated exam of the optic disc was performed OS.

Ophthalmoscopic examination of optic disc OS:

OS: **CD ratio 0.3**

OS Optic Disc: flat and normal disc

A dilated fundus exam was performed OS.

Ophthalmoscopic examination of retina and vessels OS:

OS Vitreous: vitreous clear without hemorrhage, cells or pigment

OS Vessels: vessels with normal contour, caliber without neovascularization

OS Macula: macula normal contour without heme, edema, drusen or exudate

OS Periphery: periphery normal appearance without retinal tears, breaks, holes or mass



Visit Note - July 8, 2022

PMS ID: Sex: DOB: Phone: MRN:
103109PAT000001790 Male [REDACTED] 1975 (401) 426-0778 [REDACTED]

Mood and affect: no acute distress.

Tests

Automated Perimetry

Diagnostic Procedure: Automated Perimetry

Visual field type OD - 24-2 SITA Fast

Visual field type OS - 24-2 SITA Fast

Location: OU

Indication: Concussion without loss of consciousness

Findings OD: normal

Findings OS: normal

Reliability - OD: good

Reliability - OS: good

Impression/Plan:

1. **Blurred Vision NOS OU - PATIENT HAVING BLURRED VISION (H53.8)**

Plan: Counseling - Blurred Vision.

I counseled the patient regarding the following:

Eye care: Blurred vision may be treated with multiple different modalities. There are many different causes of blurred vision. Common causes include refractive error, diabetes, wet macular degeneration, macular edema, retinal scar, and macular hole. Treatment will be directed based on the underlying etiology. If treatment is possible modalities may include but not limited to eyeglass prescription, contact lens prescription, eye drops, laser procedures, intravitreal injections and operating room procedures.

Contact Office If: You experience decrease in vision, pain, redness, flashes/floater, black shadow or curtain or other eye concerns you may have.

2.

[REDACTED]

[REDACTED]

3. **Allergic Dermatitis of Eyelid OD - RUL (H01.111)**

4. **Dry Eye Syndrome OU (H04.123)**

Plan: Treatment Regimen.

Other Instructions: INCREASE ART TEARS PRN.

5. **Presbyopia OU - DV RX AS FOUND
MAY USE OTC READERS PRN**



Visit Note - July 8, 2022

PMS ID: Sex: DOB: Phone: MRN:
103109PAT000001790 Male [REDACTED] 1975 (401) 426-0778 [REDACTED]

(H52.4)

Staff:

Charles Newell (Primary Provider) (Bill Under)

Electronically Signed By: Charles Newell, 07/13/2022 08:08 AM EDT